


09/980260

1/24


FIG. 1



09/980260


2/24

FIG. 2



3/24

FIG. 3



09/020260

4/24

FIG.4



10 μ m

FIG.5




10 μ m

09/980260

5/24

FIG. 6



10 μ m

FIG. 7



10 μ m

09/980260

6/24

FIG.8



10 μ m

7/24

FIG.9

RELATION OF TPABr MIXING RATIO AND STRENGTH




FIG.10

4-POINT BENDING STRENGTH OF ZEOLITE MOLDING





FIG. 11



09/980260


9/24

FIG.12



10 μ m

FIG.13




10 μ m

09/980260

10/24

FIG. 14



09/980260

11/24




FIG. 15

09/930260

12/24





FIG. 16

FIG. 17

THERMAL EXPANSION COEFFICIENT OF ALUMINA AND MFI ZEOLITE



14/24

FIG.18




FIG.19






FIG.20(a)




IN THE CASE OF
SPHERICAL PARTICLE

FIG.20(b)




IN THE CASE OF
PLATE-LIKE PARTICLE

FIG.20(c)



IN THE CASE OF
IRREGULAR-SHAPE PARTICLE

FIG.21



16/24

FIG.22






FIG. 23



09/900260


18/24

FIG.24



100 μ m

FIG.25




100 μ m

09/280260


19/24

FIG.26



10 μ m

FIG.27




10 μ m

09/980260


20/24

FIG.28



100 μm

FIG.29




10 μm

09/930260

21/24

FIG.30



100 μ m

FIG.31




100 μ m

09/08/2020

22/24


FIG.32



09/20/2020


23/24

FIG.33



10 μm

FIG.34



10 μm

09/280260

24/24

FIG. 35

